



# TITANIUM TOOLS

[www.wedous.com](http://www.wedous.com)



**WEDO  
TITANIUM  
TOOLS**

## WEDO TOOLS CO.,LTD

3-17-603 Hardware Zone Miyun Yizhi Road, Nankai District, Tianjin city, China  
Tel: 0086-22-27339156 27339157 27252571 Fax: 0086-22-27252581  
Email: [wedous@hotmail.com](mailto:wedous@hotmail.com) [info@wedous.com](mailto:info@wedous.com)  
Website: [www.wedous.com](http://www.wedous.com)

▶▶▶▶ THE BEST MANUFACTURER YOU ARE LOOKING FOR. ◀◀◀◀



**WEDO TOOLS CO.,LTD** is an international professional enterprise which combines the designation and developing, manufacturing and processing, as well as marketing of hardware tools into one whole. Based on a scientific management system and a well-developed quality assurance system, we always aim at seeking for higher quality. Besides, the idea of advancement and uniqueness, and leading productive technology also guarantee our top quality. With people-oriented as our management concept, we provide for customers a well-developed after-sale service, both of which contributes to the acknowledgment of old and new customers to our products. The support from our customers also laid the foundation for our unshakable leading role in the global world of tools.

At present, WEDO TOOLS CO.,LTD has been the largest professional tool manufacturer with the most complete range of species in the worldwide. Hence we obtain a great reputation and high praise in the global industry of tools. Forged by a large friction pressing machine with one-time molding, our products, especially the **steel tools, non-sparking tools and Titanium tools**, enjoy a world-class top quality. All of the tools are strictly in accordance with the DIN standard of German, ASME standard of United States and national GB standard of China. Under a perfect quality control system, our products have all been through a series of test from the material purchasing to end-product delivery, which ensures a 100% qualified rate before they are delivered out of the factory.

Corporation aims at meeting every user's demand with its most advanced productive technology and excellent quality. We sincerely invite people all over the world to share the pleasure of tools with us.



# TITANIUM TOOLS



Titanium tools are very amazing hand tools showing a high strength-weight ratio and it has exceptional corrosion resistance. The use of Titanium tools is increasing in not only the aerospace industries but also in marine, biomedical, electronic, chemical, and petrochemical industries. The main advantages of Titanium tools are:

- It is absolutely non-magnetic hand tool
- It is wonderful corrosion resistant
- It is amazing lightweight
- It is extremely strong and durable



**TT5101 Wrench,Adjustable**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	K <sub>max</sub> (mm)	ΔT <sub>Δ</sub> (g)
TT5101-1002	150	18	80
TT5101-1004	200	24	170
TT5101-1006	250	30	260
TT5101-1008	300	36	435

**TT5103 Wrench,Combination**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 3113



Item No.	S (mm)	L (mm)	ΔT <sub>Δ</sub> (g)
TT5103-6	6	105	13
TT5103-8	8	120	20
TT5103-10	10	135	30
TT5103-12	12	150	40
TT5103-14	14	175	55
TT5103-17	17	195	90
TT5103-19	19	215	125
TT5103-22	22	245	170
TT5103-24	24	265	200
TT5103-27	27	290	280
TT5103-30	30	320	400
TT5103-32	32	340	480

**TT5105 Wrench,Single Open End**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	ΔT <sub>Δ</sub> (g)
TT5105-6	6	75	11
TT5105-8	8	95	14
TT5105-10	10	105	19
TT5105-12	12	125	25
TT5105-14	14	140	35
TT5105-17	17	160	50
TT5105-19	19	170	60
TT5105-22	22	195	95
TT5105-24	24	220	120
TT5105-27	27	240	170
TT5105-30	30	260	220
TT5105-32	32	260	260
TT5105-36	36	310	350

**TT5107 Wrench,Double Open End**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 3110



Item No.	S1*S2 (mm)	L (mm)	ΔT <sub>Δ</sub> (g)
TT5107-0607	6*7	120	13
TT5107-0709	7*9	135	20
TT5107-0810	8*10	145	25
TT5107-1012	10*12	165	40
TT5107-1214	12*14	180	55
TT5107-1417	14*17	195	70
TT5107-1719	17*19	210	95
TT5107-1922	19*22	225	130
TT5107-2224	22*24	250	170
TT5107-2427	24*27	250	230
TT5107-2730	27*30	270	310
TT5107-3032	30*32	310	430

**TT5102 Wrench,Pipe(American Type)**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	K <sub>max</sub> (mm)	ΔT <sub>Δ</sub> (g)
TT5102-1002	200	25	310
TT5102-1004	250	30	520
TT5102-1006	300	40	790
TT5102-1008	350	50	950

**TT5104 Wrench,Construction With Pin**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	ΔT <sub>Δ</sub> (g)
TT5104-17	17	220	60
TT5104-19	19	240	80
TT5104-22	22	260	120
TT5104-24	24	280	145
TT5104-27	27	300	200
TT5104-30	30	320	235

**TT5106 Wrench,Striking Open**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 133



Item No.	S (mm)	L (mm)	ΔT <sub>Δ</sub> (g)
TT5106-17	17	125	85
TT5106-19	19	125	80
TT5106-22	22	135	95
TT5106-24	24	150	135
TT5106-27	27	175	230
TT5106-30	30	190	260
TT5106-32	32	190	260
TT5106-36	36	200	370

**TT5108 Wrench,Double Box Offset**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 838



Item No.	S1*S2 (mm)	L (mm)	ΔT <sub>Δ</sub> (g)
TT5108-0810	8*10	190	40
TT5108-1012	10*12	200	48
TT5108-1214	12*14	220	58
TT5108-1417	14*17	255	85
TT5108-1719	17*19	280	100
TT5108-1922	19*22	300	115
TT5108-2224	22*24	330	232
TT5108-2427	24*27	340	260
TT5108-2730	27*30	350	290
TT5108-3032	30*32	370	377

**TT5109 Wrench, Double Flat Box**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 8378



Item No.	S1*S2 (mm)	L (mm)	ΔTΔ (g)
TT5109-0709	7*9	115	15
TT5109-0810	8*10	115	15
TT5109-1012	10*12	140	24
TT5109-1214	12*14	145	30
TT5109-1417	14*17	165	50
TT5109-1719	17*19	185	60
TT5109-1922	19*22	200	95
TT5109-2224	22*24	215	105
TT5109-2427	24*27	255	145
TT5109-2730	27*30	280	185
TT5109-3032	30*32	295	220

**TT5111 Wrench, Single Box**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5111-7	7	110	32
TT5111-8	8	110	30
TT5111-10	10	120	35
TT5111-12	12	130	42
TT5111-14	14	140	55
TT5111-17	17	155	65
TT5111-19	19	170	77
TT5111-22	22	190	115
TT5111-24	24	215	145
TT5111-27	27	230	160
TT5111-30	30	255	225
TT5111-32	32	265	255
TT5111-36	36	295	300

**TT5113 Offset Slogging Box Wrench(American Type)**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5113-19	19	220	400
TT5113-22	22	240	522
TT5113-24	24	240	522
TT5113-27	27	270	695
TT5113-30	30	280	815
TT5113-32	32	290	928

**TT5115 Wrench, Hex Key With Ball**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- 6-POINT



Item No.	S (mm)	L (mm)	H (mm)	ΔTΔ (g)
TT5115-3	3	63	20	3
TT5115-4	4	70	25	7
TT5115-5	5	80	28	12
TT5115-6	6	90	32	17
TT5115-7	7	95	34	28
TT5115-8	8	100	36	32
TT5115-9	9	106	38	47
TT5115-10	10	112	40	55
TT5115-11	11	118	42	78
TT5115-12	12	125	45	90

**TT5110 Wrench, Construction**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5110-8	8	210	65
TT5110-10	10	230	70
TT5110-12	12	250	88
TT5110-14	14	270	105
TT5110-17	17	310	135
TT5110-19	19	330	165
TT5110-22	22	350	185
TT5110-24	24	370	260
TT5110-27	27	400	320
TT5110-30	30	430	380
TT5110-32	32	430	370
TT5110-36	36	460	525

**TT5112 Wrench, Striking Box**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 7444



Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5112-17	17	145	85
TT5112-19	19	145	80
TT5112-22	22	155	135
TT5112-24	24	165	130
TT5112-27	27	175	175
TT5112-30	30	185	255
TT5112-32	32	185	245
TT5112-36	36	205	315

**TT5114 Wrench, Hex Key**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- 6-POINT



Item No.	S (mm)	L (mm)	H (mm)	ΔTΔ (g)
TT5114-3	3	59	25	4
TT5114-4	4	65	30	8
TT5114-5	5	79	32	12
TT5114-6	6	85	37	15
TT5114-7	7	88	43	18
TT5114-8	8	92	44	24
TT5114-9	9	97	44	32
TT5114-10	10	110	45	42
TT5114-11	11	119	48	58
TT5114-12	12	130	52	76
TT5114-13	13	140	54	100
TT5114-14	14	150	58	115
TT5114-15	15	156	60	145
TT5114-16	16	162	63	170
TT5114-17	17	168	65	205

**TT5116 Wrench, T-type Sliding Hex**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- 6-POINT



Item No.	S (mm)	L (mm)	H (mm)	ΔTΔ (g)
TT5116-8	8	150	100	140
TT5116-10	10	150	110	150
TT5116-12	12	170	130	160
TT5116-14	14	170	140	220
TT5116-17	17	190	150	255
TT5116-19	19	220	160	340

**TT5701 Hammer,Ball Pein**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE



Item No.	Size (g)	L (mm)	ΔTΔ (g)
TT5701-1002	230	280	330
TT5701-1004	340	280	440
TT5701-1006	450	310	600
TT5701-1008	680	340	900

**TT5703 Hammer, Claw**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH TITANIUM HANDLE



Item No.	Size (g)	L (mm)	ΔTΔ (g)
TT5703-1002	200	280	450

**TT5201 Pliers,Adjustable Combination**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	K (mm)	ΔTΔ (g)
TT5201-1002	150	8	125
TT5201-1004	200	13	180
TT5201-1006	250	16	280

**TT5202 Pliers,Lineman**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	ΔTΔ (g)
TT5202-1002	150	220
TT5202-1004	200	290

**TT5203 Pliers,Diagonal Cutting**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	ΔTΔ (g)
TT5203-1002	150	180
TT5203-1004	200	260

**TT5204 Pliers,Snipe Nose**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	ΔTΔ (g)
TT5204-1002	150	120
TT5204-1004	200	200

**TT5205 Pliers,Groove Joint**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	K (mm)	ΔTΔ (g)
TT5205-1002	150	16	80
TT5205-1004	200	25	120
TT5205-1006	250	45	270

**TT5206 Pliers,Water Pump**


- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	K (mm)	ΔTΔ (g)
TT5206-1002	150	16	75
TT5206-1004	200	25	100
TT5206-1006	250	32	220

**TT5207** Tweezers, Neat Tips

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	L (mm)	ΔTΔ (g)
TT5207-1002	150	20
TT5207-1004	200	28

**TT5302** Impact Socket(3/4")

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH 12-POINT



Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5302-17	17	50	210
TT5302-19	19	50	220
TT5302-22	22	50	230
TT5302-24	24	50	250
TT5302-27	27	50	265
TT5302-30	30	55	280
TT5302-32	32	55	300

**TT5304** Hinged Handle

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	C (inch)	L (mm)	ΔTΔ (g)
TT5304-1002	3/8	190	138
TT5304-1004	1/2	250	210

**TT5306** Sliding T Type Wrench

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	ΔTΔ (g)	Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5306-6	6	120	80	TT5306-14	14	150	145
TT5306-8	8	120	85	TT5306-17	17	170	175
TT5306-10	10	130	90	TT5306-19	19	180	300
TT5306-12	12	140	115	TT5306-22	22	190	435

**TT5301** Socket(1/2")

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH 12-POINT



Item No.	S (mm)	L (mm)	ΔTΔ (g)
TT5301-6	6	40	46
TT5301-8	8	40	47
TT5301-10	10	40	48
TT5301-12	12	40	50
TT5301-14	14	40	52
TT5301-17	17	40	55
TT5301-19	19	42	60
TT5301-22	22	43	65

**TT5303** Universal Joint

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH 12-POINT



Item No.	C (inch)	L (mm)	ΔTΔ (g)
TT5303-1002	1/2	80	115
TT5303-1004	3/4	110	300

**TT5305** Ratchet Wrench

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 3122
- WITH REVERSE LEVER



Item No.	C (inch)	L (mm)	ΔTΔ (g)
TT5305-1002	3/8	200	140
TT5305-1004	1/2	245	415
TT5305-1006	3/4	320	945

**TT5307** Driver Extension

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	C (inch)	L (mm)	ΔTΔ (g)
TT5307-1002	3/8	75	55
TT5307-1004	1/2	125	145
TT5307-1006	1/2	250	290
TT5307-1008	3/4	200	520

**TT5308 Wrench,Socket L-Type**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	S (mm)	L (mm)	H (mm)	ΔTΔ (g)
TT5308-6	6	120	29	55
TT5308-8	8	145	33	85
TT5308-10	10	168	37	110
TT5308-12	12	215	42	120
TT5308-14	14	245	45	165
TT5308-17	17	260	51	270
TT5308-19	19	270	55	310

**TT5402 Knife,Putty**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE
- WITH HANGING HOLE



Item No.	K (mm)	L (mm)	ΔTΔ (g)
TT5402-1002	25	200	65
TT5402-1004	40	200	80
TT5402-1006	50	200	90
TT5402-1008	65	200	100

**TT5404 Spatula**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE
- WITH HANGING HOLE



Item No.	K (mm)	L (mm)	ΔTΔ (g)
TT5404-1002	30	195	65
TT5404-1004	50	210	80
TT5404-1006	75	225	95

**TT5406 Chisel,Flat**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	B (mm)	Φ (mm)	L (mm)	ΔTΔ (g)
TT5406-1002	10	10	120	45
TT5406-1004	12	12	140	75
TT5406-1006	14	14	160	115
TT5406-1008	16	16	160	150
TT5406-1010	18	18	160	190
TT5406-1012	20	20	200	290
TT5406-1014	22	22	200	355

**TT5401 Knife,Common**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH PLASTIC HANDLE
- WITH HANGING HOLE



Item No.	K (mm)	L (mm)	ΔTΔ (g)
TT5401-1002	25	230	75
TT5401-1004	30	250	85
TT5401-1006	35	260	100

**TT5403 Knife,Putty**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE
- WITH HANGING HOLE



Item No.	K (mm)	L (mm)	ΔTΔ (g)
TT5403-1002	75	200	110
TT5403-1004	100	200	135
TT5403-1006	150	200	210

**TT5405 Scraper, Flat**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	K (mm)	L (mm)	ΔTΔ (g)
TT5405-1002	30	200	165
TT5405-1004	30	300	255
TT5405-1006	35	350	325

**TT5407 Bar, Pinch**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	B (mm)	Φ (mm)	L (mm)	ΔTΔ (g)
TT5407-1002	15	15	500	400
TT5407-1004	18	18	600	700
TT5407-1006	20	20	800	1100



**TT5501 Slotted Screwdriver**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



Item No.	H (mm)	B (mm)	L (mm)	ΔTΔ (g)
TT5501-1002	0.4	3	50	30
TT5501-1004	0.5	4	75	40
TT5501-1006	0.6	5	100	53
TT5501-1008	0.8	6	150	85
TT5501-1010	1.2	8	200	135

**TT5503 Electrician Screwdriver**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



Item No.	H (mm)	B (mm)	L (mm)	ΔTΔ (g)
TT5503-1002	0.4	3	50	30
TT5503-1004	0.5	4	75	40
TT5503-1006	0.8	6	100	75
TT5503-1008	1.2	8	150	125
TT5503-1010	1.8	10	200	160

**TT5502 Phillips Screwdriver**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



Item No.	Size	Φ (mm)	L (mm)	ΔTΔ (g)
TT5502-1002	0	3	50	30
TT5502-1004	1	4	75	40
TT5502-1006	1	5	100	53
TT5502-1008	2	6	150	85
TT5502-1010	3	8	200	135

**TT5504 Torque Wrench**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	Size (inch)	L (mm)	ΔTΔ (g)
TT5504-1002	3/8	355	550

**TT5601 Set-24pcs**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	Description
Wrench,Combination	5.5mm,7mm,8mm,10mm,10mm,13mm,
Wrench,Hex Key	1.5mm,2mm,2.5mm,3mm,3mm,4mm,
	5mm,6mm,6mm,8mm,10mm,
Wrench,Socket L-Type	5.5mm,7mm,7mm,8mm,10mm,10mm,13mm

**TT5603 Set-12pcs**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	Description
Wrench,Combination	8mm,10mm,12mm,13mm,14mm,17mm,19mm
Wrench,Adjustable	8"
Pliers,Groove Joint	10"
Pliers,Diagonal Cutting	6"
Pliers,Snipe Nose	6"
Pliers Lineman	8"

**TT5602 Set-25pcs**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	Description
Double open end wrench	11/16**3/4",9/16**5/8",7/16**1/2"
Combination wrench	10mm,17mm
Wrench,Hex Key	3mm,4mm,5mm,6mm,7mm,
	8mm,9mm,3/16",5/32",5/16"
Diagonal cutting pliers	6"
Long nose pliers	8"
Socket 3/8"	10mm,17mm
Hinged handle	3/8**180mm
Flat screwdriver	3*50,4*100,8*150
Phillips screwdriver	#1*75,#3*150

**TT5604 Set-40pcs**

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



Item No.	Description
Wrench, Hex Key	3mm,4mm,5mm,6mm,7mm,8mm,9mm,3/16",5/16",5/32"
Phillips Screwdriver	PH0,PH1,PH2,PH3
Slotted Screwdriver	3/16*4",1/8*4",1/4*5",5/16*6",1/8*8",
Wrench,Combination	10mm,17mm,3/4",5/8",11/16",9/16",1/2",7/16"
Wrench,Adjustable	8",10"
Pliers,Groove Joint	10"
Pliers, Water Pump	8"
Pliers,Diagonal Cutting	8"
Pliers,Snipe Nose	8"
Knife,Common	230mm
Ratchet Wrench	3/8"
Driver Extension	3/8"
3/8" Socket	9mm,16mm,17mm
3/8" Socket(long type)	17mm